



1. Concrete/Timber Deck
2. Radmat Surface Conditioner.
3. Radmat Permaquik 6100 3mm Hot Liquid Bitumen Membrane
4. Radmat 2016 Reinforcement Sheet
5. Radmat Permaquik 6100 3mm Hot Liquid Bitumen Membrane
6. 5mm Radmat Root Barrier Protection Sheet
7. Radmat Extruded Polystyrene Insulation Board
8. Min-K Thermal Sheet
9. Radmat G10 Water Retention & Drainage Mat G11 Filter Membrane.
10. Radmat 100% Recycled Green Roof Growing Media.
11. Plant Layer either Plug & Plant Sedum/Perennials or Scatter Sedum by means of hand or Hydro Seeding.

Note: Expected Rainwater Retention From 20 Litres/m2



TITLE  
**INVERTED BROWN BIO-DIVERSE  
ROOF GARDEN**

DATE: **Feb '09** SCALE **N.T.S.**

DRAWING NUMBER  
**RAD-PQG-101**