


1. Concrete/Timber Deck
2. Radmat Surface Conditioner.
3. Radmat Permaquik 6100 3mm Hot Liquid Bitumen Membrane
4. Radmat 2016 Reinforcement Sheet
5. Radmat Permaquik 6100 3mm Hot Liquid Bitumen Membrane
6. 5mm Radmat Root Barrier Protection Sheet
7. Radmat Extruded Polystyrene Insulation Board
8. Min-K Thermal Sheet
9. Radmat D60 Water Retention & Drainage Board G12 Filter Membrane.
10. Radmat 100% Recycled Green Roof Growing Media.
11. Plant Layer either Plant Lawns, Small Trees, Shrubs or Perennials.

Note: Expected Rainwater Retention From 80 Litres/m²



TITLE
**INVERTED INTENSIVE
 ROOF GARDEN**

DATE: **Feb '09** SCALE **N.T.S.**

DRAWING NUMBER
RAD-PQG-103