



1. Concrete deck
2. Paraflex system
  - > Paraflex universal primer
  - > Hand cast kiln dried sand cast into primer
  - > Paraflex FD 1.5 mm initial coat
  - > Radmat 165Kg reinforcement layer
  - > Paraflex FD 0.8mm top coat
3. Extruded polystyrene insulation board.
4. Min-K thermal sheet.

5. Radmat G10 water retention & drainage mat G11 filter membrane
6. Radmat 100% recycled green roof growing media
7. Plant layer either plug & plant sedum/perennials or scatter sedum by means of hand or hydro seeding
8. 300mm wide ballast margin

Note: Expected rainwater retention from 20 Litres/m2

<b>Radmat</b> building products	
TITLE <b>INVERTED ROOF PARAFLEX CONCRETE DECK BROWN BIO-DIVERSE GARDEN OUTLET DETAIL</b>	
DATE: <b>Aug '09</b>	SCALE <b>N.T.S.</b>
DRAWING NUMBER <b>RAD-PAR-401</b>	