



1. Metal decking
2. Self adhesive vapour barrier.
3. Tapered or uniform polyurethane insulation adhered to base with Radmat adhesive layer.
  - > Self adhesive foil to all board joints.
4. Paraflex System
  - > Paraflex universal primer
  - > Hand cast kiln dried sand
  - > Paraflex FD 1.5 mm initial coat
  - > Radmat 165Kg reinforcement layer
  - > Paraflex FD 0.8mm top coat

5. Radmat G10 water retention & drainage mat G11 filter membrane
6. Radmat 100% recycled green roof growing media
7. Plant layer either plug & plant

Note: Expected rainwater retention from 20 Litres/m2



TITLE <b>WARM ROOF PARAFLEX METAL DECK BROWN BIO-DIVERSE GARDEN BUILD UP</b>	
DATE: <b>Aug '09</b>	SCALE <b>N.T.S.</b>
DRAWING NUMBER <b>RAD-PAR-404</b>	