


- | | |
|---|--|
| <ol style="list-style-type: none"> 1. Metal decking 2. Self adhesive vapour barrier. 3. Tapered or uniform polyurethane insulation adhered to base with Radmat adhesive layer.
> Self adhesive foil to all board joints. 4. Paraflex System
> Paraflex universal primer
> Hand cast kiln dried sand
> Paraflex FD 1.5 mm initial coat
> Radmat 165Kg reinforcement layer
> Paraflex FD 0.8mm top coat | <ol style="list-style-type: none"> 5. Radmat G10 water retention & drainage mat G11 filter membrane 6. Radmat 100% recycled green roof growing media 7. Plant layer either plug & plant 8. 300mm wide ballast margin |
|---|--|

Note: Expected rainwater retention from 20 Litres/m2



TITLE **WARM ROOF PARAFLEX METAL DECK BROWN BIO-DIVERSE GARDEN OUTLET DETAIL**

DATE: **Aug '09** | SCALE **N.T.S.**

DRAWING NUMBER
RAD-PAR-405