



1. Concrete deck
2. Permaquik 6100 system
  - > Radmat Permaquik 6100 3mm hot melt membrane
  - > Radmat 2016 reinforcement fleece
  - > Radmat Permaquik 6100 3mm hot melt membrane
  - > Radmat 5mm root barrier membrane
3. Extruded polystyrene insulation board
4. Min-K thermal sheet
5. Radmat D40 water retention & drainage board G12 filter membrane
6. Radmat 100% recycled green roof growing media
7. Plant Layer either plug & plant wild flowers/perennials or selected herbs

Note: Expected rainwater retention from 40 litres/m<sup>2</sup>



TITLE  
**PERMAQUIK 6100 SYSTEM INVERTED  
 SEMI INTENSIVE ROOF GARDEN**

DATE: **July '09** SCALE **N.T.S.**

DRAWING NUMBER  
**RAD-PQ-500**